

## CAPITULO VI

### BIBLIOGRAFIA

Abramson, J.L., Vaccarino, V. (2002). Relationship between physical activity and inflammation among apparently healthy middle-aged and older US adults. *Archives of the International Medicine*. Vol. 162, pp. 1286 – 1292.

Albert, M.A., Glyn, R.J., Ridker, P.M. (2004). Effect of physical activity on serum C – reactive protein. *American Journal of Cardiology*. Vol. 93, pp. 221 – 225.

American College of Sports and Medicine (1998): Position stand on exercise and physical activity for older adults. *Medicine and Science in Sports and Exercise* (pp. 992-1008). S.l.

American College of Sports and Medicine (2000). *Teste de Esforço e Prescrição do Exercício* (Quinta Edição). Rio de Janeiro: Revinter.

Appel, J. & Mota, J. (1991). Desporto e Envelhecimento. *Revista Horizonte*. Vol. 8, nº 44, pp. 43-46.

Balkwill, F., Montovani, A. (2001). Inflammation and cancer: Back to Virchow? *Lancet*. Vol. 357, pp. 539 – 545.

Ballou, S.P. & Kushner (1992). C-Reactive protein and acute phase response. *Advanced International Medicine*. Vol. 37, pp 313 – 336.

Barata, T., & Clara, H. (1997). *Actividade física nos idosos*. In Barata, T. ed. (1997). Actividade Física e Medicina Moderna (pp. 223-233). Odivelas: Europress.

Barata, T. & Horta, L. (1995). Actividade Física e Prevenção Primária das Doenças Cardiovasculares. *Revista Horizonte*, Vol.: XII, nº 67, pp. 36-40.

Barreiros, J. (1999). *Envelhecimento e lentidão psicomotora*. In FMH ed., (1999). Envelhecer Melhor com a Actividade Física – Actas do Simpósio 99 (pp. 131-141). Lisboa: Faculdade de Motricidade Humana – Universidade Técnica de Lisboa.

- Baumann, H. (1994). *Motricity and Aging*. In A. Marques, A. Gaya, J. Constantino (Eds). Physical Activity and Health in the Elderly. Proceedings of the 1st Conference of Egrepap. 90:101. Universidade do Porto, Egrepap, C. M. Oeiras.
- Bautista, L.E., Lopez-Jaramillo, P., Vera, L.M., et al. (2001). Is C-reactive protein na independent risk factor for essencial hypertension? *Journal of Hypertension*. Vol. 19, pp. 857 – 861.
- Beltrami, D. M. & Lopes, M. I. S. Lazer Activo – os novos velhos/aposentados do novo século: educação social da memória corporal. *Revista Horizonte*, Vol.17, nº100, pp. 12-16.
- Berger, L. & Poirier, D. (1995). *Pessoas Idosas: Uma Abordagem Global*. Lisboa: Lusodidacta.
- Burk, G.L., Arnold, A.M., Bild, D.E., Cushman, M., Fried, L.P., Newman, A., Nunn, C., Robbins, J. (2001). Factors associated with healthy aging: the Cardiovascular Healthy Study. *Journal of American Geriatric Society*. Vol. 49, pp. 254 – 262.
- Calejo, S., (1997). *Aptidão física e actividade física em adultos idosos. Estudo realizado no Conselho de Matosinhos*. Dissertação de Mestrado. Porto: F.C.D.E.F.-U.P.
- Carvalho, J., (1999). *Aspectos metodológicos no trabalho com idosos*. In Mota, J. & Carvalho, J. eds. (1999). Actas do Seminário – A Qualidade de Vida do Idoso: O Papel da Actividade Física (pp. 95-103). Porto: Gabinete de Desporto de Recreação e Tempos Livres. F.C.D.E.F.-U.P.
- Church, T.S., Barlow, C.E., Ernest, C.P., Kampert, J.B., Priest, E.L., Blair, S.N. (2002). Associations between cardiorespiratory fitness and C-reactive protein in men. *Arteriosclerosis, Thrombosis, and Vascular Biology*. Vol. 22, pp. 1869 – 1876.
- Colbert, L.H. et al (2004). Physical activity, exercise, and inflammatory markers in older adults: findings from the health, aging and body composition study. *Journal of American Geriatrics Society*. Vol. 52, pp. 1098 – 1104.

- Cook, D.G., Mendall, M.A., Whincup, P.H., Carey, I.M., Ballam, L., Morris, J.E. et al (2000). C-reactive protein concentration in children: relationship to adiposity and other cardiovascular risk factors. *Atherosclerosis*. Vol. 149, pp 129 – 150.
- Costa, M. & Rodrigues, S. (2000). *Aptidão Física e Padrões de Actividade Física em Adultos Idosos*. Dissertação de Mestrado. Porto: Faculdade de Ciências do Desporto e Educação Física da Universidade do Porto.
- Cousins, S. O. & Keating, N. (1995). Life Cycle Patterns of Physical Activity Among Sedentary and Active Older Women, *Japa* 4(3), pp. 340-359.
- Després, J.P. (2004). CRP and risk of coronary heart disease: Can exercise training cool down the flames? *Arterioscler, Thrombosis, and Vascular Biology*. Vol. 24, pp. 1743 – 1745.
- Dias, I. & Afonso, A., (1999). A pessoa idosa na cidade do Porto. *Revista Horizonte*. Vol. 15, nº88; pp. 20-26.
- Fernandez, R, Vayreda, M, Richart, C et al. (2001). Circulation interleukin 6 levels, blood pressure, and insulin sensitivity in apparently healthy men and women. *Journal of Clinical Endocrinology of Metabolism*. Vol. 86, pp. 1154 – 1159.
- Fleck, S. J. & Kraemer, W. J. (1999). *Fundamentos do Treinamento de Força Muscular*. Artmed, Porto Alegre.
- Frohlich, M., Imhof, A., Berg, G. et al. (2000). Association between C-reactive protein and features of the metabolic syndrome. A population-based study. *Diabetes Care*. Vol. 23, pp. 1835 – 1839.
- Ford, E.S. (2002). Does exercise reduces inflammation? Physical and C – reactive protein among US adults. *Epidemiology*. Vol. 13, pp. 561 – 568.
- Ford, E. & Giles, W. (2000). Serum C-reactive protein and fibrinogen concentration and self-reported angina pectoris and myocardial infarction. Findings from National Health and Nutrition Examination Survey III. *Journal of Clinical Epidemiological*. Vol. 53, pp 95 – 102;

- Geffken, D.F., Cushman, M., Burke, G.L. et al. (2001). Association between physical activity and markers of inflammation in a healthy elderly population. *American Jornal of Epidemiological*. Vol. 153, pp 234 – 250.
- Géis, P. P. (2001). *Tercera edad, actividad física y salud: teoria e práctica*.5<sup>a</sup>ed. Editorial Paidotribo.
- Haskell WL, (1994). Helth consequences of physical: understanding and challenges regarding dose-response. *Medicine Science and Sports Exercise*. Vol. 26, nº6, pp. 649-660.
- Heilbronn. L.K., Noakes, M., Clifton, P.M.. Energy restriction and weight loss on very-low-fat diets reduce C-reactive protein concentrations in obese, healthy women. *Arteriosclerosis, Thrombosis, and Vascular Biology*. Vol. 21, pp. 968 – 970.
- Isasi, C.R., Deckelbaum, R.J., Tracy, R.P., Starc, T.J., Berglund, L., Shea S. (2003) Physical fitness and CRP level in children and young adults. *Pedriatics*. Vol. 111, pp. 332 – 338.
- Kallinen, M. (1998). Improving cardiovascular fitness in the elderly: physiological benefits and medical concerns. *Scandinavian Journal of Medicine in Sports*. Vol. 8, nº 5, pp. 335.
- Kirkendall, D., & Garret, W., (1998). The effects of aging and training on skeletal muscle. *The American Journal of Sports Medicine*. Vol. 4, nº 26, pp. 592-602.
- Koenig, W., Sund, M., Froelich, M. Fischer, H.G., Lowel, H. (1999). C – reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially middle aged men: results form MONICA Augsburg Cohort Study. 1984 to 1992. *Circulation*. Vol. 99, pp. 237 – 242.
- Kuroba, Y. & Israel, S.,(1988). *Sport and physical activities in older people*. In: The Olympic book of sports medicine, Blackweel Scientific publications, Oxford.
- Kushner, I. (1990). C-reactive protein and the acute-phase response. *Hosp Prat*. Vol. 25, nº 3<sup>a</sup>, pp 13 – 28.

- LaMonte, M.J., Durstine, J.L., Yanowitz, F.G., Lim, T., DuBose, K.D., Davis, P., Anisworth, B.E. (2002). Cardiorespiratory fitness and CRP among a tri-ethnic sample of women. *Circulation*. Vol. 106, pp. 403 – 406.
- Lemmink, K., Brouwer, W., Greef, M., Huelven, M., Rispens, P. & Stevens, M. (1994). *The Groningen fitness test for the elderly: field based motor fitness assessment for adults over 55 years*. The Netherlands: University of Groningen.
- Libby, P., Ridker, P.M., Maseri, A. (2002). Inflammation and atherosclerosis. *Circulation*. Vol. 105, pp. 1135 – 1143.
- Lima, J. & Silva, A. I., (2002). Ser idoso: estudo de uma população. *Revista Geriatria*. Vol. 14, nº 140, pp. 12-18.
- Manz, M., Llano, M. & Oliveira, S. (2000) *Actividade física para a terceira idade*. Sétima Convenção Internacional de Fitness. s.l.
- Marques, A. (1996). A prática de actividade física nos idosos: as questões pedagógicas. *Revista Horizonte*. Vol. 13, nº 74, pp. 11-17.
- Martins, R. & Gomes, G. (2002). Exercício físico no idoso: estudo comparativo da condição física num grupo de idosas sedentárias, antes e após um programa de exercícios físicos. *Revista Geriatria*. Vol. 15, nº 147, pp. 9-18.
- Matsudo, S. & Matsudo, V. (1993). Prescrição e benefícios da actividade física na terceira idade. *Revista Horizonte*. Vol. 9, nº 54, pp. 221-228.
- Mattusch, F., Dufaux, B., Heine, O., Mertens, I., Rost, R. (2000). Reduction of the plasma concentration of C – reactive protein following nine months of endurance training. *International Journal of Sports Medicine*. Vol. 21, pp. 21 – 24.
- Melo, F. (1999). *A queda natural do idoso para...cair*. In Correa, P.P., Espanha, M. & Barreiros, J. eds. (1999). *Envelhecer Melhor com a Actividade Física* (pp. 189-195). Lisboa: Faculdade de Motricidade Humana – Universidade Técnica de Lisboa.
- Mitchell, J. H. & Raven, P. B. (1994). *Cardiovascular adaptation to physical activity*. In Bouchard, C., Shepard, R. & Stephens T. eds. (1994). *Physical Activity, Fitness and Health* (pp. 286-301). Champaign: Human Kinetics.

Moldoveanu, A., Shephard, R.J., Chek, P.N. (2001). The cytokine response physical activity and training. *Sports Medicine*. Vol. 31, pp. 115 – 144.

Moreland, L., Baumgartner, S., Shiff, M, et al. (1997). Treatment of rheumatoid arthritis with a recombinant human tumor necrosis factor receptor (p75) – Fc fusion protein. *New England Journal of medicine*. Vol. 337, pp. 141 – 147.

Mota, J., (1999). *Promoção da actividade física nos idosos: uma perspectiva global*. In Mota, J. & Carvalho, J. eds. (1999). Actas do Seminário – A Qualidade de Vida do Idoso: O Papel da Actividade Física (pp. 65-69). Gabinete de Desporto de Recreação e Tempos Livres. Porto: F.C.D.E.F.-U.P.

Mota; T. J. & Correia, M. (s.d.). *Gabinete para a redução do risco de Arteriosclerose* (Garra), Novartis; São João do Estoril.

Muhlestein, J.B., Horne, B.D., Calrquist, J.F. et al. (2000). Cytomegalovirus seropositivity and C-reactive protein have independent and combined predictive value for mortality in patients with angiographically demonstrated coronary artery. *Circulation*. Vol. 102, pp 1917 – 1923.

Nieman, D., (1999). *O idoso. Exercício e Saúde* (pp. 289-299). São Paulo: Edições Manole.

Obisesan, T.O., Leeuwenburgh, C., Phillips, T. (2004). C – reactive protein genotypes affect baseline, but not exercise training-induced changes, in C – reactive protein levels. *Arteriosclerosis, Thrombosis, and Vascular Biology*. Vol. 24, pp. 1874 – 1879.

Okita, K., Nishijima, H., Murakami, T., Nagai, T., Morita, N. (2004). Can exercise training with weight loss lower serum C-reactive protein levels? *Arteriosclerosis, Thrombosis, and Vascular Biology*. Vol. 24, pp. 1868 – 1873.

Pacifici, R. (1996). Estrogen, cytokines, and pathogenesis of postmenopausal osteoporosis. *Journal of Bone and Mineral Research*. Vol. 11, pp. 1043 – 1051.

Paffenberger, R. S., Blair, S. N. & Hyde, R. T. (1993) Measurement of physical activity to assess health in free-living populations. *Medicine & Science in Sports & Exercise*. Vol. 1, nº 25, pp. 60-70.

- Pendergast, D., Fisher, N. & Calkins, E. (1993). Cardiovascular, neuromuscular and metabolic alterations with age leading to frailty. *Journal of Gerontology*. Vol.48, pp. 61-67.
- Peralta, E. & Silva, M. E. D., (2002). Perspectivas da velhice em idoso com diferentes situações de vida. *Revista Geriatria*. Vol. 15, nº 148, pp. 9-16.
- Phillips, W. & Haskell. (1995). Muscular Fitness. Easing the Burden of Disability for Elderly Adults. *Japa*, 3 (3), pp. 261-289.
- Pradham, A.D., Manson, J.E., Rifai, N. et al. (2001). C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus. *JAMA*. Vol. 286, pp. 327 – 334.
- Pollock, M. et al. (1997). Effects of frequency and duration of training on attrition and incidence of injury. *Medicine Science Sports* 9, pp. 31-36.
- Powers, S. & Howley, E. (1997). *Exercise Physiology: Theory and Application to Fitness and Performance*. MacGraw-Hill Companies, Inc.
- Ramilo, T. M. (1991). Por uma Politica Desportiva de lazer e Bem-estar. *Revista Horizonte*. Vol. 7, nº42, pp. 210-213.
- Rawson, E.S., Freedson, P.S., Osganian, S.K., Matthews, C.E., Reed, G., Ockene, I.S. (2003). Body mass index but not physical activity is associated with C-reactive protein. *Medicine Science ok Sports Exercise*. Vol. 35, pp. 1160 – 1166.
- Ridker, P.M., Cushman, M., Stampfer, M.C., Tracy, R.P., Hennekens, C.H. (1997). Inflammation, aspirin, and the risk of cardiovascular disease in apparently healthy men. *New England Journal of Medicine*. Vol. 336, pp. 973 – 979.
- Ridker, P.M., Cushman, M., Stampfer, M. et al. (1998). Plasma concentration of C-reactive protein and risk of developing peripheral vascular disease. *Circulation*. Vol. 97, pp. 425 – 428.
- Ridker, P.M. (1999). Evaluating novel cardiovascular risk factors: can we better predict heart attacks? *Annals of International Medicine*. Vol. 130, pp 933 – 937.

Ridker, P.M., Hennekens, C.H., Buring, J.E. et al. (2000). C-reactive protein and other markers of inflammation in prediction of cardiovascular disease in women. *New England Journal of Medicine*. Vol. 342, pp. 836 – 843.

Ridker, P.M. (2003a) Clinical application of CRP for cardiovascular disease detection and prevention. *Circulation*. Vol. 107, pp. 363 – 369.

Ridker, P.M. (2003b). Cardiology Patient Page. C – reactive protein: a simple test to help predict risk of heart attack and stroke. *Circulation*. Vol. 108, pp. 81 – 85.

Rikli, R.E., & Jones, C. J. (1999). Development and validation of a functional fitness test for community-residing older adults. *Journal of Aging and Physical Activity*. Vol. 7, nº 2, pp. 129-161. Human Kinetics Publishers Inc.

Rikli, R.G. & Jones, C.J. (2001). *Senior Fitness Test Manual*, Champaign, IL: Human Kinetics.

Robine, J.M., Mormiche, P., Sermet, C. (1998). Examination of the causes and mechanisms of the increase in disability-free life expectancy. *Journal of Aging Health*. Vol. 10, nº2, pp. 171-191.

Rohde, L.E., Hennekens, C.H., Ridker, P.M. (1999). Survey of C-reactive protein and cardiovascular risk factors in apparently healthy men. *American Journal of Cardiology*. Vol. 84, pp. 1018 – 1022.

Ross, R. (1999). Atherosclerosis – na onflammation disease. *New England Journal of Medicine*. Vol. 340, pp. 115 – 126.

Rowland T.W. (1990). *Exercice and coronary artery disease*, in: Exercice and children's health. Human Kinetics Books, pp. 101-127.

Sagiv, M. (1993). Aging, *Exercise, Cardiovascular and Respiratory Systems*. In Constantino, J.; Gaya, A. & Marques, A. (1993). *Physical Activity and Health in the Elderly* (pp. 57-63). Porto: Faculdade de Ciências do Desporto e Educação Física da Universidade do Porto.

Sharkey, B. J. (1997). *Fitness and health*. University of Montana Champaign: Human Kinetics.

- Shepard, R. (1990). *Physiocal fitness: exercise and ageing*. In: Pathy, M. J. ed. Principle and practice oh geriatric medicine (2nd Ed). John Wiley and Sons, London, pp-279-294.
- Silvestre, J. & Araújo, D. (1999). Motivação para a prática de actividades Motoras em idosos. *Revista Ludens*. Vol.16, nº3, pp. 61-67.
- Robert, L. (1995). *O Envelhecimento Factos e Teorias*. Flammarion. Lisboa.
- Sardinha, L. B., (1999). *Exercício, saúde e aptidão metabólica*. In: Sardinha, L. B.; Matos, M. G. & Loureiro, I.ed. Promoção de saúde: modelos e práticas de intervenção nos âmbitos da actividade Física, nutrição e tabagismo. Edições FMH, Lisboa.
- Sardinha, L. B., (2001). *Concepção de programas de exercício para a pessoa idosa*. Conferência Viver Activo. Leiria: s.l.
- Sardinha, L. B. & Martins, T., (1999). *Uma nova bateria para a avaliação da aptidão física funcional de pessoa idosa*. In Correia, P.P., Espanha, M. & Barreiros, J. (1999). *Envelhecer Melhor com a Actividade Física* (pp. 208-219). Lisboa: s.l.
- Sesso, H.D., Buring, J.E. et al. (2003). C-reactive protein and risk of developing hypertension. *JAMA*. Vol. 290, pp. 2945 – 2951.
- Shepard, R., ed. (1997). *Current Theories of Aging. Aging, Physical Activity and Health* (pp. 31-37). Champaign: Human Kinetics.
- Silvestre, J. & Araújo, D. (1999). Motivação para a prática de actividades Motoras em idosos. *Revista Ludens*. Vol.16, nº3, pp. 61-67.
- Skinner, J., (1989). *Biological, functional and chronological age*. In Spidurso, W & Eckert. H. eds. (1998). *Physical Activity and Aging*. American Academy of Physical Education. Papers, 22 (pp. 65-68). Champaign, Illinois: Human Kinetics.
- Smith, E. L. & Gilligan, C. (1986). *Exercise, sport, and physical for the elderly: principles and problems of programming*. In McPherson, B. D. ed. (1986). *Sport and Aging* (pp. 91-106). Champaign: Human Kinetics Publishers.

- Smith, J.K., Dykes, R., Douglas, J.E., Krishnaswamy, G., Berk, S. (1999). Long-term exercise and atherogenic activity of blood mononuclear cells in persons at risk of developing ischemic disease. *JAMA*. Vol. 281, pp. 1722 – 1727.
- Stauffer, B.L., Hoetzer, G.L., Smith, D.T., DeSouza, C.A. (2004). Plasma C-reactive protein is not elevated in physically active postmenopausal women taking hormone replacement therapy. *Journal of Applied Physiology*. Vol. 96, pp. 143 – 148.
- Taaffe, D., Harris, T., Ferrucci, L., et al. (2000). Cross-sectional and prospective relationships of interleukin 6 and C-reactive protein with physical performance in elderly persons: McArthur Studies of Successful Aging. *Journal of Gerontology Séries A: Biological Sciences and Medical Sciences*. Vol. 55, n° 22, pp. 709 – 715.
- Tchernof, A., Nolan, A., Sites, C.K., Ades, P.A., Poehlman, E.T. (2002). Weight loss reduces C-reactive protein levels in obese postmenopausal women. *Circulation*. Vol. 105, pp. 564 – 569.
- The World Health Organization issues guidelines for promoting physical activity among older persons (1997). The Heidelberg guidelines for promoting physical activity among older persons. *Journal of Aging and Physical Activity*. Vol. 1, n° 5, pp. 1-8.
- Tracy, R., Lemaitre, R., Psaty, B. et al. (1997). Relationship of C-reactive protein to risk of cardiovascular disease in the elderly. Results from the cardiovascular Health Study and the Rural Health Promotion Project. *Arteriosclerosis, Thrombosis, and vascular Biology*. Vol. 17, pp. 1121 – 1127.
- Wannamethee, S.G., Lowe, G.E., Whincup, P.H., Rumley, A., Walker M., Lennon L. (2002). Physical activity and hemostatic and inflammatory variables in elderly men. *Circulation*. Vol. 105, pp. 1785 – 1790.
- Weissberg, P.L., Bennet, M.R. (1999). Atherosclerosis – na inflammatory disease. *New England Journal of Medicine*. Vol. 340, pp. 1928 – 1929.
- Yudkin, J.S., Stehouwer, C.D., Emeis, J.J., Coppock, S.W. (1999). C – reactive protein in healthy subjects: associations with obesity, insulin resistance, and endothelial dysfunction: a potential role for cytokines originating from adipose tissue? *Arteriosclerosis, Thrombosis, and vascular Biology*. Vol. 19, pp. 972 – 978.

Zambrana, M. (1991). O desporto na terceira idade. *Revista Horizonte*. Vol. 8, nº 45, pp. 1-8.