



Automatic detection of wrinkle ridges in Venusian Magellan imagery

M. T. Barata, F. C. Lopes, P. Pina, E. I. Alves and J. Saraiva Geological Society, London, Special Publications, 401, 357-376, 9 January 2014, https://doi.org/10.1144/SP401.5

Add to Cart (\$30)



Abstract

Wrinkle ridges constitute one of the most abundant tectonic features on terrestrial planetary surfaces. On Venus, evidence suggests a connection between wrinkle ridges and the climatic evolution of the planet. However, like other planets and moons that experience more active surface geological processes, such as Earth, Mars, Europa, Io and Titan, visible impact craters on the Venusian surface are less common because they are eroded, buried or transformed by tectonics or other geological processes over time. It is of great importance to identify and understand some characteristics of those surface morphologies, such as orientation, length, spacing, original dimension and topography. Nevertheless, these parameters can only be computed on remotely sensed images after their segmentation. Until now, the manual identification of these features has been focused on those of major geological significance, leaving many more to be identified, mapped and studied. The main aim of this paper is to provide a method for automatic detection of wrinkle ridges from Magellan Synthetic Aperture Radar (SAR) imagery at different scales. The proposed algorithm, based on a combination of fractal dimension and morphological operators, identifies regions of interest to this study, namely those of anisotropic behaviour, but also impact craters and their ejecta blankets. The high performances achieved in a variety of situations demonstrate that its robustness can be applied to an automated procedure.


© The Geological Society of London 2015





▲ Back to top

In this volume



Geological Society, London, Special Publications
Volume 401
2015
Table of Contents
Table of Contents (PDF)
About the Cover
Index by author
Back Matter (PDF)
Front Matter (PDF)

Search in this volume	Q
• Alerts	→ Share
Citation tools	Email to
© Permissions	Print
≛ View PDF	≛ Download PPT
Tweet	
Gosto 0	
G+	
Related Articles	
Web of Science	Google Scholar
Similar Articles	
Cited By	
Most read	Most cited
Geological considerations of contemporary military to	unnelling near Mosul, northern Iraq

Petroleum geology of the Black Sea: introduction

Scombridae) revealed using computed microtomography

The role of women in the history and development of geology: an introduction

The formation and evolution of Africa from the Archaean to Present: introduction

The one that got away from Smith Woodward: cranial anatomy of *Micrornatus* (Acanthomorpha:

More...

Special Publications

About the series
Books Editorial Committee
Submit a book proposal
Author information
Supplementary Publications
Subscribe
Pay per view
Alerts & RSS
Copyright & Permissions
Activate Online Subscription
Feedback
Help

Lyell Collection

About the Lyell Collection
Lyell Collection homepage
Collections
Open Access Collection
Open Access Policy
Lyell Collection access help
Recommend to your Library
Lyell Collection Sponsors
MARC records
Digital preservation
Developing countries
Geofacets
Manage your account
Cookies

The Geological Society

About the Society
Join the Society
Benefits for Members
Online Bookshop
Publishing policies
Awards, Grants & Bursaries
Education & Careers
Events
Geoscientist Online
Library & Information Services
Policy & Media
Society blog
Contact the Society

18/09/2018	Automatic detection of wrinkle ridges in Venusian Magellan imagery Geological Society, London, Special Publications
Pul	plished by The Geological Society of London, registered charity number 210161
	Print ISSN 0305-8719 Online ISSN 2041-4927

Copyright © 2018 Geological Society of London